




Designing Today For A Better Tomorrow




106 Cherry Street Horse Cave, KY 42749
PH: 270-786-3010 FAX: 270-786-4136
geothermalsupply.com



Single Meter Vaults



- ◆ 1" Thick HDPE Flatstock with 445574C cell classification
- ◆ PE4710 and NSF-61 certified piping (1" - 12")
- ◆ 120 psi testing
- ◆ 6000 series aluminum lids with recessed locking hatches
- ◆ Lifting handles for easy installation
- ◆ Use your brand of water meter





Water Meter Vault with Bypass



- ◆ Valves, Meters, and Piping installed
- ◆ Aluminum hatches are installed using SS bolts below grade to deter theft
- ◆ Hatches have 120 psi locking gas springs
- ◆ Multiple bypasses and custom configurations
- ◆ HDPE extrusion welded joints





Apartment Water Meter Vault




- ◆ Mix and Match setter sizes up to 2"
- ◆ Compact and Lightweight Design
- ◆ Lift one hatch and read multiple meters
- ◆ Includes Meter Transmitter Holder
- ◆ Custom Aluminum Bracket (Holds up to 16 Meter Setters)





Pressure Reducing Valve Vault with Bypass



- ◆ Pressure Gauges
- ◆ Test Ports
- ◆ Strainers
- ◆ OSHA approved ladders available
- ◆ Drain holes/slits or piped drains
- ◆ 1" Thick HDPE Bracing for stability





Fire & Domestic Water Vaults



- ◆ Indicator Post
- ◆ Siamese Hose Connections
- ◆ 1/4" Thick Aluminum Lid
- ◆ Lockable Hatch
- ◆ Bypass available
- ◆ Plug and Play design
- ◆ Lifting Handles for easy installation
- ◆ MJ Adapters available
- ◆ Set easily with a backhoe





Sewer Relief Vault with Odor Control



- **1 ½" Thick HDPE Flatstock for End Walls – 445574C Cell Classification with UV Stabilizer of C**
- **PE4710 Pipe manufactured in accordance with ASTM D-3035**
- **Main Sizes from 2" to 12"**
- **A.R.I Combination Air Valve (Nylon or Stainless Steel Body)**
- **Darco H2S Activated Carbon Eliminates Hydrogen Sulfide Odors**
- **Pressure Tested for Leaks**
- **Watertight Steel Manhole and Cover**
- **OSHA Ladder**
- **72" or 84" ID Spirolite Traffic Rated Capable Pipe**
- **Sump Pump available**
- **MJ Adapters, MPT's, and/or Butt/Socket Fusion available for Inlet and Outlet**





106 Cherry Street Horse Cave, KY 42749
PH: 270-786-3010 FAX: 270-786-4136
geothermalsupply.com